

DuPont Tyvek® 600 Plus Hooded Coverall with Socks



Why Choose DuPont Tyvek® 600 Plus Hooded Coverall with Socks

Tyvek® 600 (Classic) Plus with Socks is ideal for medical applications and when exposed to biological hazards, as well as in the nuclear industry, pharmaceutical manufacturing or in research and biosecurity laboratories.

Provides protection, durability and comfort

Chemical protective clothing

Category III, Type 4-B, 5-B and 6-B

EN 14126 (infective agents barrier)

EN 1073-2 (radioactive protection)

EN 1149-5 (Antistatic treatment)

Available Options



More Info

Chemical protective clothing, Category III, Type 4-B, 5-B and 6-B

EN 14126 (barrier to infective agents), EN 1073-2 (protection against radioactive contamination)

Spun bonded polyethylene, non woven material

Antistatic treatment (EN 1149-5) - on both sides

Electrostatic protection according to EN 1149-1 - treated on both sides of the fabric

Stitched and over-taped seams for protection and strength

Tyvek® zipper and self-adhesive zipper flap for enhanced protection

Face, wrist and ankle tunnelled elastication, for good fit and contamination/linting reduction

Tyvek® garments are composed of flash spun high density polyethylene, providing an ideal balance of protection, durability and comfort.

www.cleanroomshop.com

Tel: + 44 (0) 1524 813022

info@cleanroomshop.com

Fax: + 44 (0) 1524 811589

Large

XL

2XL

3XL

non-added.

Tunnelled elastication at wrists, ankles and face. Elasticated waist (glued-in). Tyvek® zipper. Self-adhesive zipper and chin flap. White

Model CHA6

Brand

DuPont™

Type

Hooded coverall with socks

Lead time (if out of stock)

15-20 Days

Pack Size

1

Materials

Spun bonded polyethene, non woven material

Construction/Material

Tyvek®

Colour

White

Applications

Applications for Tyvek® Classic Plus garments include maintenance and dismantling jobs in the nuclear industry, pharmaceutical manufacturing or in research and biosecurity laboratories, as well as in medical applications and when exposed to biological hazards.

Technical data

Size Chart

Body measurements in cm (inches)

Size, Chest Girth, Body Height

S, 84-92 (33"-36"), 162-170 (5'4"-5'7")

M, 92-100, 168-176

L, 100-108, 174-182

XL, 108-116, 180-188

XXL, 116-124, 186-194

XXL, 116-124, 186-194

XXL, 124-132, 192-200

Packaging


Individually packed

Sterility

Non-Sterile

Handling & storage

Store in a dry location and avoid direct contact with sunlight



www.cleanroomshop.com

info@cleanroomshop.com

Tel: + 44 (0) 1524 813022

Fax: + 44 (0) 1524 811589

Disposal

Tyvek® does not contain halogens. When incinerated at high temperature Tyvek® yields only water and carbon dioxide.

Antistatic / ESD

Yes

Washing

Washing and laundering is not recommended as it impacts on the performance of the materials.

Warning

Stay away from heat and flame

Antistatic properties

Electrostatic protection according to EN 1149-1 - electrostatic discharge if properly grounded (EN 1149-5: 2008) - treated on both sides of the fabric.

Grading system

Advanced



www.cleanroomshop.com
Tel: + 44 (0) 1524 813022

info@cleanroomshop.com
Fax: + 44 (0) 1524 811589